


TAFB Tilt Angle Feedback



The implementation of Precimeter Technology provides many advantages

- Quality improvements
- Increased productivity
- Documentation of the process
- Raw material savings
- Energy savings
- Better use of manpower

TAFB Tilt Angle Feedback



The Tilt Angle Feedback (TAFB) is designed for use in control of a tilting furnace whenever feedback of the tilt angle is needed. The sensor is specifically engineered for use in foundries for tilt angle feedback on furnaces, ladles, launders etc in conjunction with other Precimeter equipment for metal level control.

The TAFB is a 1-dimensional $\pm 45^\circ$ tilt angle sensor.

Technical Specifications

Measurement axes:	1 axis
Measurement ranges:	$\pm 45^\circ$
Resolution (at zero point):	0.05°
Calibration accuracy (at 25° C):	$\pm 0.5^\circ$ (zero point and accumulated values)
Nonlinearity (sine):	Max. $\pm 0.3^\circ$
Temperature coefficient (zero point):	$\pm 0.009^\circ/\text{K}$
Critical frequency typ.:	18 Hz
Operating temperature:	Up to +80 °C
Characteristics	
Interface current loop:	4-20 mA
Electrical Parameters	
Supply voltage:	15 V DC to 30 V DC
Current consumption:	< 25 mA
Mechanical Parameters	
Degree of protection:	IP65/67
Shock survival Max.:	3500 g

Contact Precimeter Group

EASTERN AND CENTRAL EUROPE DIE CASTING AND EM PUMPS

Carli Precimeter GmbH
Kirberg 5/ D-51674 Wiehl/ DE
Phone: +49-2262-701624 Fax: +49-2262-701625

WESTERN EUROPE, MIDDLE EAST, AFRICA, ASIA AND AUSTRALIA

Precimeter Control AB
Östra Hamnen 7/ SE-475 42 Hönö/ SE
Phone: +46-31-764 55 20 Fax: +46-31-764 55 29
www.precimeter.com
info@precimeter.com

NORTH, CENTRAL AND SOUTH AMERICA

Sentech Precimeter Inc.
2215 S. 48th Str. #C / Tempe, AZ 85282/ U.S.A
Phone: +1 (480) 829-1923 Fax: +1 (480) 894-5546

Local Precimeter Contact